

PTO-1449 REPRODUCED

ATTORNEY DOCKET NO.
1855.1052-000APPLICATION NO.
09/121,781INFORMATION DISCLOSURE CITATION
IN AN APPLICATIONAPPLICANT
Gregory J. LaRosaDEC 26 2000
September 19, 2000FILING DATE
July 23, 1998GROUP
1648

(Use several sheets if necessary)

U.S. PATENT DOCUMENTS

EXAM- INER INI- TIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIA TE
	AA						
	AB						
	AC						
A)	AD	5,440,021	08-Aug-95	Chuntharapai, et al.	530	388.22	
A)	AE	5,543,503	06-Aug-96	Chuntharapai, et al.	530	388.22	

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLAT- ION YES NO
	AN						
	AO						
A)	AP	WO 99/15666	01-Apr-99	PCT			
A)	AQ	WO 95/08576	30-Mar-95	PCT			X

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

A)	AR2	Förster, R., et al., "A general method for screening mAbs specific for G-protein coupled receptors as exemplified by using epitope tagged BLR1-transfected 293 cells and solid-phase cell ELISA", <i>Biochemical and Biophysical Research Communications</i> , 196(3):1496-1503 (1993).
A)	AS2	Boring, L., et al., "Decreased lesion formation in CCR2 ^{-/-} mice reveals a role for chemokines in the initiation of atherosclerosis," <i>Nature</i> , 394(27):894-897 (1998).
A)	AT2	Ylä-Herttuala, S., et al., "Expression of monocyte chemoattractant protein 1 in macrophage-rich areas of human and rabbit atherosclerotic lesions," <i>Proc. Natl. Acad. Sci., USA</i> , 88:5252-5256 (1991).


EXAMINER

DATE CONSIDERED

2/1/01

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. 1855.1052-000	APPLICATION NO. 09/121,781
INFORMATION DISCLOSURE CITATION IN AN APPLICATION December 19, 2000 (Use several sheets if necessary)		APPLICANT Gregory J. LaRosa	
FILING DATE July 23, 1998		GROUP 1648	
U.S. PATENT DOCUMENTS			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
A>	AU2	Taubman, M.B., et al., "JE mRNA Accumulates Rapidly in Aortic Injury and in Platelet-Derived Growth Factor-Stimulated Vascular Smooth Muscle Cells," <i>Circulation Research</i> , 70(2):314-325 (1992).	
	AV2	Feng, A., et al., "Red Wine Inhibits Monocyte Chemotactic Protein-1 Expression and Modestly Reduces Neointimal Hyperplasia After Balloon Injury in Cholesterol-Fed Rabbits," <i>Circulation</i> 100:2254-2259 (1999).	
	AW2	Lukacs, N.W., et al., "Production of Monocyte Chemoattractant Protein-1 and Macrophage Inflammatory Protein-1 α by Inflammatory Granuloma Fibroblasts," <i>American Journal of Pathology</i> , 144(4):711-718 (1994).	
	AX2	Koch, A.E., et al., "Enhanced Production of Monocyte Chemoattractant Protein-1 in Rheumatoid Arthritis," <i>The Jour. of Clin. Invest.</i> , 90:772-779 (1992).	
	AY2	Harigai, M., et al., "Monocyte Chemoattractant Protein-1 (MCP-1) in Inflammatory Joint Diseases and Its Involvement in the Cytokine Network of Rheumatoid Synovium," <i>Clin. Immun. and Immunopathology</i> , 69(1):83-91 (1993).	
	AZ2	Villiger, P.M., et al., "Production of Monocyte Chemoattractant Protein-1 by Inflamed Synovial Tissue and Cultured Synoviocytes," <i>J. Immunol.</i> , 149(2):722-727 (1992).	
	AR3	Reinecker, H.C., et al., "Monocyte-Chemoattractant Protein 1 Gene Expression in Intestinal Epithelial Cells and Inflammatory Bowel Disease Mucosa," <i>Gastroenterology</i> , 108(1):40-50 (1995).	
	AS3	Nelken, N.A., et al., "Monocyte Chemoattractant Protein-1 in Human Atheromatous Plaques," <i>J. Clin. Invest.</i> , 88:1121-1127 (1991).	
	AT3	Grewal, I.S., et al., "Transgenic Monocyte Chemoattractant Protein-1 (MCP-1) in Pancreatic Islets Produces Monocyte-Rich Insulitis Without Diabetes," <i>J. Immunol.</i> , 159:401-408 (1997).	
↓	AU3	Yu, X., et al., "Elevated expression of monocyte chemoattractant protein 1 by vascular smooth muscle cells in hypercholesterolemic primates," <i>Proc. Natl. Acad. Sci., USA</i> , 89:6953-6957 (1992).	
EXAMINER A.W.J.		DATE CONSIDERED 2/1/01	

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. 1855.1052-000	APPLICATION NO. 09/121,781
INFORMATION DISCLOSURE CITATION IN AN APPLICATION December 19, 2000 (Use several sheets if necessary)		APPLICANT Gregory J. LaRosa	
		FILING DATE July 23, 1998	GROUP 1648
U.S. PATENT DOCUMENTS			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
AJ ↓	AV3	Berman, J.W., et al., "Localization of Monocyte Chemoattractant Peptide-1 Expression in the Central Nervous System in Experimental Autoimmune Encephalomyelitis and Trauma in the Rat," <i>J. Immunol.</i> , 156:3017-3023 (1996).	
	AW3	Lukacs, N.W., et al., "The Production of Chemotactic Cytokines an Allogeneic Response," <i>Amer. Jour. of Pathology</i> , 143(4):1179-1188 (1993).	
	AX3	Christensen, P.J., et al., "Characterization of the Production of Monocyte Chemoattractant Protein-1 and IL-8 in an Allogeneic Immune Response," <i>The Journal of Immunology</i> , 151(3):1205-1213 (1993).	
	AY3	Rand, M.L., et al., "Inhibition of T Cell Recruitment and Cutaneous Delayed-Type Hypersensitivity-Induced Inflammation with Antibodies to Monocyte Chemoattractant Protein-1," <i>Amer. Jour. of Pathology</i> , 148(3):855-864 (1996).	
	AZ3	Jones, M.L., and Warren, J.S., "Monocyte Chemoattractant Protein 1 in a Rat Model of Pulmonary Granulomatosis," <i>Laboratory Investigation</i> , 66(4):498-503 (1992).	
	AR4	Lloyd, C.M., et al., "Role of MCP-1 and RANTES in inflammation and progression to fibrosis during murine crescentic nephritis," <i>Journal of Leukocyte Biology</i> , 62:676-680 (1997).	
	AS4	Flory, C.M., et al., "Pulmonary Granuloma Formation in the Rat is Partially Dependent on Monocyte Chemoattractant Protein 1," <i>Laboratory Invest.</i> , 69(4):396-404 (1993).	
	AT4	Jones, M.L., et al., "Potential Role of Monocyte Chemoattractant Protein 1/JE In Monocyte/Macrophage-Dependent IgA Immune Complex Alveolitis in the Rat," <i>J. Immunol.</i> , 149(6):2147-2154 (1992).	
	AU4	Gu, L., et al., "Absence of Monocyte Chemoattractant Protein-1 Reduces Atherosclerosis in Low Density Lipoprotein Receptor-Deficient Mice," <i>Molecular Cell</i> , 2(2):275-281 (1998).	
	AV4	Tesch, G.H., et al., "Monocyte chemoattractant protein-1 promotes macrophage-mediated tubular injury, but not glomerular injury, in nephrotoxic serum nephritis," <i>J. Clin. Invest.</i> , 103(1):73-80 (1999).	
AW4	Lu, B., et al., "Abnormalities in Monocyte Recruitment and Cytokine Expression in Monocyte Chemoattractant Protein 1-deficient Mice," <i>J. Exp. Med.</i> , 187(4):601-608 (1998).		
EXAMINER Aw S		DATE CONSIDERED 2/1/01	



PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. 1855.1052-000	APPLICATION NO. 09/121,781
INFORMATION DISCLOSURE CITATION IN AN APPLICATION December 19, 2000 (Use several sheets if necessary)		APPLICANT Gregory J. LaRosa	
		FILING DATE July 23, 1998	GROUP 1648
U.S. PATENT DOCUMENTS			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
A ↓	AX4	Rutledge, B.J., et al., "High Level Monocyte Chemoattractant Protein-1 Expression in Transgenic Mice Increases Their Susceptibility to Intracellular Pathogens," <i>J. Immunol.</i> , 155:4838-4843 (1995).	
	AY4	Gunn, M.D., et al., "Monocyte Chemoattractant Protein-1 Is Sufficient for the Chemotaxis of Monocytes and Lymphocytes in Transgenic Mice but Requires an Additional Stimulus for Inflammatory Activation," <i>J. Immunol.</i> , 158:376-383 (1997).	
	AZ4	Chensue, S.W., et al., "Role of Monocyte Chemoattractant Protein-1 (MCP-1) in Th1 (Mycobacterial) and Th2 (Schistosomal) Antigen-Induced Granuloma Formation," <i>J. Immunol.</i> , 157:4602-4608 (1996).	
	AR5	Lukacs, N.W., et al., "Differential Recruitment of Leukocyte Populations and Alteration of Airway Hyperreactivity by C-C Family Chemokines in Allergic Airway Inflammation," <i>J. Immunol.</i> , 158:4398-4404 (1997).	
	AS5	Tang, W.W., et al., "Chemokine Expression in Experimental Tubulointerstitial Nephritis," <i>J. Immunol.</i> , 159:870-876 (1997).	
	AT5	Fujinaka, H., et al., "Suppression of Anti-Glomerular Basement Membrane Nephritis by Administration of Anti-Monocyte Chemoattractant Protein-1 Antibody in WKY Rats," <i>Jour. of the Amer. Soc. of Nephrology</i> , 8:1174-1178 (1997).	
	AU5	Lloyd, C.M., et al., "RANTES and Monocyte Chemoattractant Protein-1 (MCP-1) Play an Important Role in the Inflammatory Phase of Crescentic Nephritis, but Only MCP-1 Is Involved in Crescent Formation and Interstitial Fibrosis," <i>J. of Exp. Med.</i> , 185(7):1371-1380 (1997).	
	AV5	Furukawa, Y., et al., "Anti-Monocyte Chemoattractant Protein-1/Monocyte Chemotactic and Activating Factor Antibody Inhibits Neointimal Hyperplasia in Injured Rat Carotid Arteries," <i>Circulation Research</i> , 84:306-314 (1999).	
	AW5	Zisman, D.A., et al., "MCP-1 Protects Mice in Lethal Endotoxemia," <i>J. Clin. Invest.</i> , 99(12):2832-2836 (1997).	
	AX5	Schimmer, R.C., et al., "Streptococcal Cell Wall-Induced Arthritis: Requirements for IL-4, IL-10, IFN- γ , and Monocyte Chemoattractant Protein-1," <i>J. Immunol.</i> , 160:1466-1471 (1998).	
AY5	Ogata, H., et al., "The Role of Monocyte Chemoattractant Protein-1 (MCP-1) in the Pathogenesis of Collagen-Induced Arthritis in Rats," <i>J. Pathol.</i> , 182:106-114 (1997).		
EXAMINER <i>Ans</i>		DATE CONSIDERED 2/1/01	



PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. 1855.1052-000	APPLICATION NO. 09/121,781
INFORMATION DISCLOSURE CITATION IN AN APPLICATION December 19, 2000 (Use several sheets if necessary)		APPLICANT Gregory J. LaRosa	
		FILING DATE July 23, 1998	GROUP 1648
U.S. PATENT DOCUMENTS			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
A)	AZ5	Huffnagle, G.B., et al., "The Role of Monocyte Chemotactic Protein-1 (MCP-1) in the Recruitment of Monocytes and CD4 ⁺ T Cells During a Pulmonary <i>Cryptococcus Neoformans</i> Infection," <i>J. Immunol.</i> , 155:4790-4797 (1995).	
	AR6	Gong, J., et al., "An Antagonist of Monocyte Chemoattractant Protein 1 (MCP-1) Inhibits Arthritis in the MRL- <i>lpr</i> Mouse Model," <i>J. Exp. Med.</i> , 186(1):131-137 (1997).	
	AS6	Kurihara, T., et al., "Defects in Macrophage Recruitment and Host Defense in Mice Lacking the CCR2 Chemokine Receptor," <i>J. Exp. Med.</i> , 186(10):1757-1762 (1997).	
	AT6	Jiang, Y., et al., "Chemokine receptor expression in cultured glia and rat experimental allergic encephalomyelitis," <i>J. Neuroimmunology</i> , 86:1-12(1998).	
	AU6	Kuziel, W.A., et al., "Severe reduction in leukocyte adhesion and monocyte extravasation in mice deficient in CC chemokine receptor 2," <i>Proc. Natl. Acad. of Sci., USA</i> 94(22):12053-12058 (1997).	
	AV6	Boring, L., et al., "Impaired Monocyte Migration and Reduced Type 1 (Th1) Cytokine Responses in C-C Chemokine Receptor 2 Knockout Mice," <i>J. Clin. Invest.</i> , 100(10):2552-2561 (1997).	
	AW6	Grimm, M.C., et al., "Enhanced expression and production of monocyte chemoattractant protein-1 in inflammatory bowel disease mucosa," <i>Journal of Leukocyte Biology</i> , 59:804-812 (1996).	
	AX6	Chuntharapai, et al., "Generation of Monoclonal Antibodies to Chemokine Receptors", <i>Methods in Enzymology</i> 288: 15-27 (1997).	
	AY6	Izikson, L., et al., "Resistance to Experimental Autoimmune Encephalomyelitis in Mice Lacking the CC Chemokine Receptor (CCR)2", <i>J. Exp. Med.</i> , 192(7): 1075-1080 (2000).	
		AZ6	Fife, B.T., et al., "CC Chemokine Receptor 2 Is Critical for Induction of Experimental Autoimmune Encephalomyelitis", <i>J. Exp. Med.</i> , 192(6): 899-905 (2000).
EXAMINER		DATE CONSIDERED	
ANB		2/1/01	

